

# 60 GHz cnWave V1000

## QUICK LOOK:

- Supports 57 to 66 GHz
- Up to 2 Gbps (1 Gbps UL and 1 Gbps DL)
- Auto-beamforming, 80° horizontal and 40° vertical
- TDMA channel access and TDD Network Synchronization
- 802.11ay standard technology with Terragraph certification




**terragraph**  
certified

## DESIGNED FOR HIGH-SPEED AND HIGH-DENSITY DEPLOYMENTS

Cambium Networks' 60 GHz cnWave solution provides easy, fast and cost-effective wireless gigabit connectivity for edge access and/or high-capacity backhaul for edge access solutions at a significantly lower TCO than fiber infrastructure. Service providers and enterprises now have access to gigabit for business and residential connectivity, backhaul for Wi-Fi access or LTE/5G small cell. Certified for Facebook Terragraph, cnWave mesh solutions are highly efficient at handling high-density deployments in cities and suburban areas.

V1000 is featured with wide-range, 80° beamforming for easy installation. Powered by 802.3af PoE, V1000 supports up to 2 Gbps with 1 Gbps in the uplink direction and 1 Gbps in the downlink direction.



## CLOUD AND ON-PREMISES MANAGEMENT

60 GHz cnWave operates with Cambium Networks' cnMaestro management system. cnMaestro™ is a cloud-based or on-premises software platform for secure, end-to-end network control. cnMaestro wireless network manager simplifies device management by offering full network visibility and zero-touch provisioning. View and perform a full suite of wireless network management functions in real time. Optimize system availability, maximize throughput and meet emerging needs of business and residential customers.

## 60 GHz cnWave V1000 Client Node

### Specifications

#### Spectrum

**Frequency Range** 57 to 66 GHz in a single SKU

**Channel Width** 2.16 GHz, 4.32 GHz\*

**Carrier Bonding\*** Up to 2 adjacent channels

**Mode of Operation** PMP or Mesh, PTP\*

#### Interface

**Channel Access** TDMA/TDD

**Ethernet Interface** 1 x 100/1000 BaseT with PoE In

#### Ethernet

**Protocol Supported** IPv4, IPv6

**Network Management** cnMaestro, HTTP, HTTPS, SNMP v2c & v3

**MTU** 4,000 bytes

**VLAN\*** 802.1ad (QinQ), 802.1Q with 802.1p priority

**QoS\*** 4 Level QoS, DSCP and VLAN Tag

#### Security

**Encryption** 128-bit AES

**Firmware Security** Signed Firmware Images

\* Available in future release

#### Performance

**Modulation & Coding Schemes** MCS-0 (BPSK) to MCS-12 (16-QAM)

**Latency** < 1 ms

**Maximum EIRP** 38 dBm

#### Antenna

**Gain** 22.5 dBi

**Type** Integrated

**Beamforming Scan Range** +/- 40° azimuth, +/- 20° elevation

**Beam Width** 12°

#### Powering

**Type** 802.3af PoE

**Power Consumption** 10 W

#### Physical

**Environmental** IP66/67

**Temperature** -40°C to 60°C (-40°F to 140°F)


**Mean Time Between Failure** > 40 years

**Weight** 0.25 kg (0.55 lbs)

**Dimensions** 140 mm x 85 mm x 40 mm  
W x H x D (5.5 in x 3.3 in x 1.6 in)

**Wind Survival** 200 km/h (124 mi/h)

## 60 GHz cnWave V1000 Client Node



## 60 GHz cnWave V1000 Client Node

### Ordering Information

<b>C600500C001A</b>	60 GHz cnWave V1000 Client Node with US Cord
<b>C600500C003A</b>	60 GHz cnWave V1000 Client Node with EU Cord
<b>C600500C004A</b>	60 GHz cnWave V1000 Client Node with UK Cord
<b>C600500C008A</b>	60 GHz cnWave V1000 Client Node with ANZ Cord
<b>C600500C009A</b>	60 GHz cnWave V1000 Client Node with Brazil Cord
<b>C600500C010A</b>	60 GHz cnWave V1000 Client Node with Argentina Cord
<b>C600500C011A</b>	60 GHz cnWave V1000 Client Node with China Cord
<b>C600500C012A</b>	60 GHz cnWave V1000 Client Node with South Africa Cord
<b>C600500C013A</b>	60 GHz cnWave V1000 Client Node with India Cord
<b>C600500C014A</b>	60 GHz cnWave V1000 Client Node with no Cord

### ABOUT CAMBIUM NETWORKS

Cambium Networks empowers millions of people with wireless connectivity worldwide. Its wireless portfolio is used by commercial and government network operators as well as broadband service providers to connect people, places and things. With a single network architecture spanning fixed wireless and Wi-Fi, Cambium Networks enables operators to achieve maximum performance with minimal spectrum. End-to-end cloud management transforms networks into dynamic environments that evolve to meet changing needs with minimal physical human intervention. Cambium Networks empowers a growing ecosystem of partners who design and deliver gigabit wireless solutions that just work.

[cambiumnetworks.com](http://cambiumnetworks.com)

09042020

**EQUIPMENT  
FOR SALE**

# CAMBIUM NETWORKS 60GHZ cnWAVE

**V1000 | V3000 | V5000**



**BRAND NEW**

**Large Quantities  
Available!**

**Contact Today  
For Current Inventory**

Visit [TELECOMCAULIFFE.com](http://TELECOMCAULIFFE.com)



Part #  
**C600500C001A**



Part #  
**C600500C024A  
C600500D003A**



Part #  
**C600500A004A**

✓ **REDUCING LEADTIMES**    ✓ **COST SAVINGS**    ✓ **LIFETIME WARRANTY**    ✓ **SUSTAINABLE SOLUTIONS**



**BILL MCAULIFFE**  
*Director of Sales – National Accounts*

**TEAMMCAULIFFE@PICSTELECOM.COM** | 585.746.6383 | **TELECOMCAULIFFE.COM**

\* This document contains confidential and proprietary information that is the property of PICS Telecom International, which is provided for the sole purpose of permitting the recipient to respond to this Equipment Sale flyer. No part of this document is to be used without written permission by PICS Telecom. All trademarks, trade names, photos, or logos mentioned or used are the property of their respective owners and are intended solely for identification purposes.